

***** Gunsmith Work Order *****

..... Store Location Phone #
 Claim Check Number Date
 Owner's Name of firearm .
 Addressed Zip Code
 Phone number Email
 Type of firearm Date of MFG.
 Make Model
 Serial number
 Caliber Other data on firearm

Work need.

Inspection & Cleaning (outside {inside partial disassembly} & lubrication) with report. If work is need max. additional labor and parts *

Estimate visual outside only inspection and cleaning barrow and bolt. Notes: *

Test firing at the range with Inspection & Cleaning (outside {inside partial disassembly} & lubrication) with report. *

Note: all cartridges supply by gunsmith and charger to owner of the firearm (by the box) plus cost of the range.

Note if {cleaning and inspection} or (details on problem with the firearm) * If any work is need on the firearm include parts and labor with report

Seasonal cleaning & check up Safety on gun Extractor Problems Firing-Pin /Bolt Jam Assembly/ Missing Parts other

Notes: _____

Mount Scope Make & Model size type of mount cost if not supply by gunsmith

Recoil Pad Make & Model size type cost if not supply by gunsmith *

Give dimension in inches from trigger to new butt location of recoil pad details

Re-finish wooden stock or Fill Sand and Touch-up finish details *

Touch-up Bluing or Re-blue barrel and receiver Notes: *

Grip/Caps Glass-Bed Sling-swivels note location on stock details

Other work or Estimate on other service/work 1

Estimate of work/repairs from gunsmith Date on estimate

Equipment received with Firearm

Case Scope Lens cover Front Rear # spent cartridges Magazine Other

Condition of firearm as received (make notes as needed)

L/H side	Wood/Stock	scratches	marks	dents	wear	details					
R/H side	Wood/Stock	scratches	marks	dents	wear	details					
Receiver	steel/Aluminum	scratches	marks	dents	gouges	Condition of bluing/anodizing	new	excellent	good	poor	
Barrel	steel/stainless steel	scratches	marks	dents	gouges	Condition of bluing	new	excellent	good	poor	

Safety, Disclaimers and Practices

All ways check the firearm chamber(s) and any other parts to be unloaded for transporting, moving to any new location, handing to another person, work on it and storage. Never load the firearm until you read to shot (shooting range or hutting) **Use only dummy rounds for testing outside of legal shooting locations.** Asterisk (*) indicate additional information available from gun shops for this service. All ways check with the manufacture for loads, types of powder, bullets, primers and cases to use in your firearm. For your safety and other use less that the maximum loads stated by the manufacture of your firearm use only purchase ammunition from a license gun dealer. Ever 5 years (as manufacture recommends) have the firearm Magnaflux (crankshaft shop with a FFL), Magnaglow, or X-Ray examination procedures (testing best by an ordinance laboratory). All work and inspect. based visual only by the gunsmith and is liable only and his or her labor. Each day Inspect the firearm for wear and cracks visual also for any parts that are looser, trigger pull and other unknown condition are found have as gunsmith check it out be for using the firearm (for your safety and others). For reassembly of your firearm a witness may be need on some parts (scribe and or center punch). If you have a miss fire check the barrel from the breach in using a mirror to see if the barrel is clear. A reasonable effort will make clean, restore or clover up any witness marks, tool marks and other tooling marks made during work perform on the firearm. Sighting maybe need after work and or inspection is perform on the firearm. On Re-finish, touch-up and or re-blue is depending on the condition of the firearm a reasonable effort will made if mark above. Never bring a live round in chamber to the gun dealer or gunsmith, leave the breach open for any transportation of any firearm. If legal action is necessary is each party is liable for there own attorneys expense Always check for correct ammunition use in the firearm be for loading. The NRA first set of rules: ALWAYS keep the gun pointed in a safe direction. ALWAYS keep your finger off the trigger until ready to shoot. ALWAYS keep the gun unloaded until ready to use. Follow all laws set down by the Federal Government; State, and Local Governments on firearms also follow the rules of the NRA and (manufacture recommends and guide lines of your firearm). Never Use Alcohol Or Drugs Before Or While Shooting. Wear approved ear and eye protection when firing any firearm.

Print owner of firearm name

Signature owner of firearm *all three copys*

Date

Make 3 copies first copy is given to owner of firearm second copy for gunsmith and third for gun shop

Gunsmith copy *** Gunsmith Work Order ***

..... Store Location Phone #
 Claim Check Number Date
 Owner's Name of firearm .
 Addressed Zip Code
 Phone number Email
 Type of firearm Date of MFG.
 Make Model
 Serial number
 Caliber Other data on firearm

Work need.

Inspection & Cleaning (outside {inside partial disassembly} & lubrication) with report. If work is need max. additional labor and parts

Estimate visual outside only inspection and cleaning barrow and bolt.

Test firing at the range with **Inspection & Cleaning** (outside {inside partial disassembly} & lubrication) with report.

Note: all cartridges supply by gunsmith and charger to owner of the firearm (by the box).

Note if {cleaning and inspection} or {details on problem with the firearm} If any work is need on the firearm include parts and labor with report

Seasonal cleaning & check up Safety on gun Extractor Problems Firing-Pin /Bolt Jam Assembly/ Missing Parts other

Notes: _____

Mount Scope Make & Model size type of mount cost if not supply by gunsmith

Recoil Pad Make & Model size type cost if not supply by gunsmith

Give dimension in inches from trigger to new butt location of recoil pad details

Re-finish wooden stock or fill sand and touch-up finish details

Re-blue barrel and receiver or Touch-up Bluing & remove corrosion Notes:

Grip/Caps Glass-Bed Sling-swivels note location on stock details

Other work or Estimate on other service/work 1

Estimate of work/repairs from gunsmith Date on estimate

Equipment received with Firearm

Case Scope Lens cover Frount Rear # spent cartridges Magazine Other

Condition of firearm as received (make notes as needed)

L/H side	Wood/Stock	scratches	marks	dents	wear	details					
R/H side	Wood/Stock	scratches	marks	dents	wear	details					
Receiver	steel/Aluminum	scratches	marks	dents	gouges	Condition of bluing/anodizing	new	excellent	good	poor	
Barrel	steel/stainless steel	scratches	marks	dents	gouges	Condition of bluing	new	excellent	good	poor	

Safety, Disclaimers and Practices

All ways check the firearm chamber(s) and any other parts to be unloaded for transporting, moving to any new location, handing to another person, work on it and storage. Never load the firearm until you read to shot (shooting range or hutting). **Use only dummy rounds for testing outside of legal shooting locations.** Proof loads we do not recommend this practice. All ways check with the manufacture for loads, types of powder, bullets, primers and cases to use in your firearm. For your safety and other use less that the maximum loads stated by the manufacture of your firearm use only purchase ammunition from a license gun dealer. Ever 5 years (as manufacture recommends) have the firearm Magnaflux (crankshaft shop with a FFL), Magnaglow, or X-Ray examination procedures (testing best by an ordinance laboratory). All work and inspect. based visual only by the gunsmith and is liable only and his or her labor. Each day Inspect the firearm for wear and cracks visual also for any parts that are looser, trigger pull and other unknown condition are found have as gunsmith check it out be for using the firearm (for your safety and others). For reassembly of your firearm a witness may be need on some parts (scribe and or center punch). If you have a miss fire check the barrel from the breach in using a mirror to see if the barrel is clear. A reasonable effort will make clean, restore or clover up any witness marks, tool marks and other tooling marks made during work perform on the firearm. Sighting maybe need after work and or inspection is perform on the firearm. On Re-finish, touch-up and or re-blue is depending on the condition of the firearm a reasonable effort will made if mark above. Never bring a live round in chamber to the gun dealer or gunsmith, leave the breach open for any transportation of any firearm. If legal action is necessary is each party is liable for there own attorneys expense Always check for correct ammunition use in the firearm be for loading. The NRA first set of rules: ALWAYS keep the gun pointed in a safe direction. ALWAYS keep your finger off the trigger until ready to shoot. ALWAYS keep the gun unloaded until ready to use. Follow all laws set down by the Federal Government; State, and Local Governments on firearms also follow the rules of the NRA and (manufacture recommends and guide lines of your firearm). Never Use Alcohol Or Drugs Before Or While Shooting. Wear approved ear and eye protection when firing any firearm.

Print owner of firearm name

Signature owner of firearm *all three copys*

Date

Gun Shop copy * Gunsmith Work Order *****

..... Store Location	Phone #
..... Claim Check Number	Date
..... Owner's Name of firearm	.
..... Addressed	Zip Code
..... Phone number	Email
..... Type of firearm	Date of MFG.
..... Make	Model
..... Serial number	
..... Caliber	Other data on firearm

Work need.

Inspection & Cleaning (outside {inside partial disassembly} & lubrication) with report. If work is need max. additional labor and parts

Estimate visual outside only inspection and cleaning barrow and bolt.

Test firing at the range with Inspection & Cleaning (outside {inside partial disassembly} & lubrication) with report.

Note: all cartridges supply by gunsmith and charger to owner of the firearm (by the box).

Note if {cleaning and inspection} or (details on problem with the firearm) If any work is need on the firearm include parts and labor with report

Seasonal cleaning & check up Safety on gun Extractor Problems Firing-Pin /Bolt Jam Assembly/ Missing Parts other

Notes: _____

Mount Scope Make & Model size type of mount cost if not supply by gunsmith

Recoil Pad Make & Model size type cost if not supply by gunsmith

Give dimension in inches from trigger to new butt location of recoil pad details

Re-finish wooden stock or fill sand and touch-up finish details

Re-blue barrel and receiver or Touch-up Bluing & remove corrosion Notes:

Grip/Caps Glass-Bed Sling-swivels note location on stock details

Other work or Estimate on other service/work 1

Estimate of work/repairs from gunsmith Date on estimate

Equipment received with Firearm

Case Scope Lens cover Front Rear # spent cartridges Magazine Other

Condition of firearm as received (make notes as needed)

L/H side	Wood/Stock	scratches	marks	dents	wear	details				
R/H side	Wood/Stock	scratches	marks	dents	wear	details				
Receiver	steel/Aluminum	scratches	marks	dents	gouges	Condition of bluing/anodizing	new	excellent	good	poor
details										
Barrel	steel/stainless steel	scratches	marks	dents	gouges	Condition of bluing	new	excellent	good	poor
details										

Safety, Disclaimers and Practices

All ways check the firearm chamber(s) and any other parts to be unloaded for transporting, moving to any new location, handing to another person, work on it and storage. Never load the firearm until you read to shot (shooting range or hutting) **Use only dummy rounds for testing outside of legal shooting locations.** Proof loads we do not recommend this practice. All ways check with the manufacture for loads, types of powder, bullets, primers and cases to use in your firearm. For your safety and other use less that the maximum loads stated by the manufacture of your firearm use only purchase ammunition from a license gun dealer. Ever 5 years (as manufacture recommends) have the firearm Magnaflux (crankshaft shop with a FFL), Magnaglow, or X-Ray examination procedures (testing best by an ordinance laboratory). All work and inspect. based visual only by the gunsmith and is liable only and his or her labor. Each day Inspect the firearm for wear and cracks visual also for any parts that are looser, trigger pull and other unknown condition are found have as gunsmith check it out be for using the firearm (for your safety and others). For reassembly of your firearm a witness may be need on some parts (scribe and or center punch). If you have a miss fire check the barrel from the breach in using a mirror to see if the barrel is clear. A reasonable effort will make clean, restore or clover up any witness marks, tool marks and other tooling marks made during work perform on the firearm. Sighting maybe need after work and or inspection is perform on the firearm. On Re-finish, touch-up and or re-blue is depending on the condition of the firearm a reasonable effort will made if mark above. Never bring a live round in chamber to the gun dealer or gunsmith, leave the breach open for any transportation of any firearm. If legal action is necessary is each party is liable for there own attorneys expense Always check for correct ammunition use in the firearm be for loading. The NRA first set of rules: ALWAYS keep the gun pointed in a safe direction. ALWAYS keep your finger off the trigger until ready to shoot. ALWAYS keep the gun unloaded until ready to use. Follow all laws set down by the Federal Government; State, and Local Governments on firearms also follow the rules of the NRA and (manufacture recommends and guide lines of your firearm). Never Use Alcohol Or Drugs Before Or While Shooting. Wear approved ear and eye protection when firing any firearm.

Print owner of firearm name

Signature owner of firearm *all three copys*

Date